Duniway P/N: MS-5A-23

SAFETY DATA SHEET



Molsiv Adsorbents 5A 1/16

89297

Version 1.3 Revision Date 02/07/2015 Print Date 02/21/2015

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Molsiv Adsorbents 5A 1/16

MSDS Number : 89297

Product Use Description : Adsorbents

Manufacturer or supplier's

details

: UOP LLC

25 E. Algonquin Road Des Plaines, IL 60017-5017

USA

Telephone : +1-847-391-2000 Telefax : +1-847-391-2253

In case of emergency call : Medical: 1-800-498-5701 or +1-303-389-1414

Transportation (CHEMTREC): 1-800-424-9300 or

+1-703-527-3887

(24 hours/day, 7 days/week)

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

Form : Beads or pellets

Color : tan

Odor : none

Hazard Summary : Repeated or prolonged exposure may irritate eyes, skin and

respiratory system. When first wetted, the product can heat up to the boiling point of water. Flood with water to cool material. Repeated and prolonged inhalation of crystalline silica in the form of quartz from occupational sources may cause cancer.

Potential Health Effects

Page 1 / 14



Molsiv Adsorbents 5A 1/16

89297

Version 1.3 Revision Date 02/07/2015 Print Date 02/21/2015

Skin : May cause skin irritation.

The product gets hot as it first adsorbs water.

: Dust and/or product may cause eye discomfort and/or irritation Eyes

seen as tearing and reddening.

: The product gets hot as it first adsorbs water. Ingestion

Burns to moist body tissue can result if contact is prolonged.

Inhalation : Exposure to dust particles generated from this material may

cause irritation of the respiratory tract.

Repeated and prolonged inhalation of crystalline silica in the form of quartz from occupational sources may cause cancer.

Chronic Exposure : Prolonged or repeated inhalation may cause lung injury/cancer.

Primary Routes of Entry : Contact with skin and eyes.

Exposure may also occur via inhalation or ingestion if product

dust is generated.

Classification of the substance or mixture

or mixture

Classification of the substance : Carcinogenicity, Category 1A, Inhalation

GHS Label elements, including precautionary statements

Symbol(s)



Signal word : Danger

: May cause cancer by inhalation. Hazard statements

Precautionary statements : Prevention:

Obtain special instructions before use.

Do not handle until all safety precautions have been read and

understood.

Use personal protective equipment as required.

Response:

IF exposed or concerned: Get medical advice/ attention.



Molsiv Adsorbents 5A 1/16

89297

Version 1.3 Revision Date 02/07/2015 Print Date 02/21/2015

Storage:

Store locked up.

Disposal:

Dispose of contents/ container to an approved waste disposal

plant.

Hazards not otherwise

classified

: The product gets hot as it first adsorbs water.

Carcinogenicity

NTP: Quartz (SiO2) 14808-60-7

Known carcinogen.

Quartz (SiO2) 14808-60-7

Known carcinogen.

IARC: Quartz (SiO2) 14808-60-7

Group 1: Carcinogenic to humans

ACGIH: Quartz (SiO2) 14808-60-7

A2: Suspected human carcinogen

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical nature : Mixture

Chemical Name	CAS-No.	Concentration
Zeolite, cuboidal, crystalline, synthetic, non-fibrous	1318-02-1	>70.00 %
Mineral binder	999999-99-4	<30.00 %
Quartz (SiO2)	14808-60-7	<5.00 %

Note : Composition as shown represents the chemical composition of the product and is not

Page 3 / 14



Molsiv Adsorbents 5A 1/16

89297

Version 1.3 Revision Date 02/07/2015 Print Date 02/21/2015

representing the composition for inventory purposes. See Section 15 for inventory information.

SECTION 4. FIRST AID MEASURES

Inhalation : Remove to fresh air. If symptoms persist, call a physician.

Skin contact : Wash off with soap and plenty of water. If skin irritation persists,

call a physician.

Eye contact : Rinse immediately with plenty of water for at least 15 minutes. If

eye irritation persists, consult a physician.

Ingestion : Immediately give large quantities of water to drink. If symptoms

persist, call a physician.

Notes to physician

Treatment : This product is a desiccant and generates heat as it adsorbs

water. The used product can contain material of a hazardous nature. Identify that material and treat symptomatically.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Not combustible.

Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Specific hazards during

firefighting

: The product itself does not burn.

The used product can retain material of a hazardous nature.

Identify that material and inform the fire fighters.

Special protective equipment

for firefighters

: In the case of respirable dust and/or fumes, use self-contained

breathing apparatus and dust impervious protective suit.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions : For personal protection see section 8.

Page 4 / 14



Molsiv Adsorbents 5A 1/16

89297

Version 1.3 Revision Date 02/07/2015 Print Date 02/21/2015

Environmental precautions : No special environmental precautions required.

Methods for cleaning up : Sweep, shovel or vacuum spilled product into appropriate

containers (do not use a vacuum if material has contacted a

hydrocarbon material).

Pick up and arrange disposal without creating dust. Never return spills in original containers for re-use.

Spilled product should be disposed of in accordance with all

applicable government regulations.

SECTION 7. HANDLING AND STORAGE

Handling

Handling : Handle and open container with care.

Avoid dust formation.

Avoid contact with skin and eyes.

Provide an electrical ground connection during loading and transfer operations to avoid static discharge in an explosive atmosphere and to prevent persons handling the product from

receiving static shocks.

A copy of UOP's booklet, "Precautions & Safe Practices for Handling Zeolite Molecular Sieve Adsorbents in Process Units", can be obtained from your UOP representative at no cost.

Storage

Requirements for storage areas and containers

: Store in original container.

Keep in a dry place.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Protective measures : Handle in accordance with good industrial hygiene and safety

practice.

Engineering measures : Ensure adequate ventilation, especially in confined areas.

Eye protection : Safety glasses

Safety goggles

Hand protection : Protective gloves

Page 5 / 14



Molsiv Adsorbents 5A 1/16

89297

Version 1.3 Revision Date 02/07/2015 Print Date 02/21/2015

Skin and body protection : Work uniform and gloves to prevent prolonged contact.

Respiratory protection : In case of insufficient ventilation wear suitable respiratory

equipment.

Breathing apparatus with filter: NIOSH classification N-100 or if

oil/liquid aerosols are present P-100 (42 CFR 84).

Exposure Guidelines

information

Exposure Guid	elii	nes				
Components		CAS-No.	Value	Control parameters	Upda te	Basis
Zeolite, cuboida crystalline, synthetic, non-fibrous	al,	1318-02-1	TWA: time weighted average	1 mg/m3	2008	ACGIH:US. ACGIH Threshold Limit Values
Further information	:	Form of exposure	Respirable	fraction.		
Quartz (SiO2)		14808-60-7	TWA: time weighted average	0.025 mg/m3	2008	ACGIH:US. ACGIH Threshold Limit Values
Further information	:	Form of exposure	: Respirable	e fraction.		
Quartz (SiO2)		14808-60-7	REL: Recomm ended exposure limit (REL):	0.05 mg/m3	2005	NIOSH/GUIDE:US. NIOSH: Pocket Guide to Chemical Hazards
Further information	:	Form of exposure	Respirable	dust.	•	
Quartz (SiO2)		14808-60-7	TWA: time weighted average	0.1 mg/m3	1989	Z1A:US. OSHA Table Z-1-A (29 CFR 1910.1000)
Further	:	Form of exposure	: Kespirable	e aust.		



Molsiv Adsorbents 5A 1/16

89297

Version 1.3	Revision Date 02/07/2015	Print Date 02/21/2015

Quartz (SiO2)	14808-60-7	TWA: time weighted average	2.4 millions of particles per cubic foot of air The exposure limit is calculated from the equation, 250/(%SiO2+5), using a value of 100% SiO2. Lower percentages of	2000	Z3:US. OSHA Table Z-3 (29 CFR 1910.1000)
			percentages of SiO2 will yield higher exposure limits.		
Further : information	Form of exposure	: Respirable	l 9.		
Quartz (SiQ2)	14808-60-7	TWA ·	0.1 mg/m3	2000	73:US OSHA Table

G	Quartz (SiO2)		14808-60-7	TWA : time weighted average	0.1 mg/m3 The exposure limit is calculated from the equation, 10/(%SiO2+2), using a value of 100% SiO2. Lower percentages of SiO2 will yield higher exposure limits.	2000	Z3:US. OSHA Table Z-3 (29 CFR 1910.1000)
	Further nformation	:	Form of exposure	: Respirable	9.		



Molsiv Adsorbents 5A 1/16

89297

Version 1.3 Revision Date 02/07/2015 Print Date 02/21/2015

Quartz (SiO2)	14808-60-7	TWA: time weighted average	0.3 mg/m3 The exposure limit is calculated from the equation, 30/(%SiO2+2), using a value of 100% SiO2. Lower values of % SiO2 will give higher exposure limits.	2000	Z3:US. OSHA Table Z-3 (29 CFR 1910.1000)
Further : information	Form of exposure :	: Total dust.			

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state : Beads or pellets

Color : tan

Odor : none

pH : Note: Not applicable

Melting point/freezing point : > 400 °C

Boiling point/boiling range : Note: Not applicable

Flash point : Note: Not applicable

Flammability : Not applicable

Lower explosion limit : Note: Not applicable

Upper explosion limit : Note: Not applicable

Page 8 / 14



Molsiv Adsorbents 5A 1/16

89297

Version 1.3 Revision Date 02/07/2015 Print Date 02/21/2015

Vapor pressure : Note: Not applicable

Vapor density : Note: Not applicable

Density : > 2.0 g/cm3

Specific gravity : > 1.0

Water solubility : Note: insoluble

Solubility in other solvents : Note: no data available

Partition coefficient:

n-octanol/water

: Note: no data available

Ignition temperature : Note: Not applicable

Viscosity, kinematic : Note: Not applicable

Bulk density : Note: For further information, refer to the product technical data

sheet.

SECTION 10. STABILITY AND REACTIVITY

Chemical stability : Stable

Incompatible materials to

avoid

: Sudden contact with high concentrations of chemicals having

high heats of adsorption such as olefins, HCl, etc.

When first wetted, the product can heat up to the boiling point of

water. Flood with water to cool material.

Hazardous decomposition

products

: No decomposition if used as directed.

Hydrocarbons and other materials that contact the product

during normal use can be retained on the product.

It is reasonable to expect that decomposition products will

come from these retained materials of use.

Page 9 / 14



Molsiv Adsorbents 5A 1/16

89297

Version 1.3 Revision Date 02/07/2015 Print Date 02/21/2015

SECTION 11. TOXICOLOGICAL INFORMATION

Acute oral toxicity : LD50: > 32,000 mg/kg

Species: Rat

Acute inhalation toxicity : Note: no data available

Acute dermal toxicity : LD50: > 2,000 mg/kg

Species: Rabbit

Skin irritation : Species: Rabbit

Classification: Not classified as a skin irritant in animal testing.

Eye irritation : Species: Rabbit

Classification: Not classified as an eye irritant in animal testing.

Further information : Note: The toxicological data has been taken from products of

similar composition.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity effects

Toxicity to fish : Note: no data available

Toxicity to daphnia and other : Note: no data available

aquatic invertebrates

Toxicity to algae : Note: no data available

Page 10 / 14



Molsiv Adsorbents 5A 1/16

89297

Version 1.3 Revision Date 02/07/2015 Print Date 02/21/2015

Elimination information (persistence and degradability)

Bioaccumulation : Note: no data available

Mobility : Note: no data available

Biodegradability : Note: no data available

Further information on ecology

Additional ecological

information

: No information on ecology is available.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods : This product (in its fresh unused state) is not listed by generic

name or trademark name in the U.S. EPA's RCRA regulations and does not possess any of the four identifying characteristics of hazardous waste (ignitability, corrosivity, reactivity or

toxicity).

Materials of a hazardous nature that contact the product during normal use may be retained on this product. The user of the product must identify the hazards associated with the retained

material in order to assess the waste disposal options.

SECTION 14. TRANSPORT INFORMATION

DOT Not dangerous goods

TDG Not dangerous goods

IATA Not dangerous goods

IMDG Not dangerous goods

SECTION 15. REGULATORY INFORMATION

Inventories



Molsiv Adsorbents 5A 1/16

89297

Version 1.3 Revision Date 02/07/2015 Print Date 02/21/2015

US. Toxic Substances

Control Act

: On the inventory, or in compliance with the inventory

Australia. Industrial

Chemical (Notification and

Assessment) Act

: On the inventory, or in compliance with the inventory

Canada, Canadian **Environmental Protection**

Act (CEPA). Domestic Substances List (DSL) : All components of this product are on the Canadian DSL.

Japan. Kashin-Hou Law List : On the inventory, or in compliance with the inventory

Korea. Toxic Chemical Control Law (TCCL) List : On the inventory, or in compliance with the inventory

Philippines. The Toxic Substances and Hazardous and Nuclear Waste Control

Act

: On the inventory, or in compliance with the inventory

China. Inventory of Existing

Chemical Substances

: On the inventory, or in compliance with the inventory

New Zealand. Inventory of Chemicals (NZIoC), as published by ERMA New

Zealand

: On the inventory, or in compliance with the inventory

Note : Zeolites are considered Statutory Mixtures for Inventory

purposes, for more information, contact SafetyDataSheet@honeywell.com.

National regulatory information

SARA 302 Components : No chemicals in this material are subject to the reporting

requirements of SARA Title III, Section 302.

: This material does not contain any chemical components with **SARA 313 Components**

> known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.



Molsiv Adsorbents 5A 1/16

89297

Version 1.3 Revision Date 02/07/2015 Print Date 02/21/2015

SARA 311/312 Hazards : Chronic Health Hazard

California Prop. 65 : WARNING! This product contains a chemical known to the State

of California to cause cancer.

Quartz (SiO2) 14808-60-7

Massachusetts RTK : Quartz (SiO2) 14808-60-7

New Jersey RTK : Quartz (SiO2) 14808-60-7

Pennsylvania RTK : Quartz (SiO2) 14808-60-7

WHMIS Classification : D2A: Very Toxic Material Causing Other Toxic Effects

This product has been classified according to the hazard criteria of the CPR and the MSDS contains all of the information required

by the CPR.

SECTION 16. OTHER INFORMATION

	HMIS III	NFPA
Health hazard	: 1*	1
Flammability	: 0	0
Physical Hazard	: 1	
Instability	:	1

^{* -} Chronic health hazard

Hazard rating and rating systems (e.g. HMIS® III, NFPA): This information is intended solely for the use of individuals trained in the particular system.

Further information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a



Molsiv Adsorbents 5A 1/16

89297

Version 1.3 Revision Date 02/07/2015 Print Date 02/21/2015

warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Final determination of suitability of any material is the sole responsibility of the user. This information should not constitute a guarantee for any specific product properties.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.

Previous Issue Date: 08/26/2014

Prepared by Honeywell Performance Materials and Technologies Product Stewardship Group