

ersion 2.0	Revision Date 05/22/2015	Print Date 09/28/2015
CTION 1. PRODUCT AND CC	MPANY IDENTIFICATION	
Product name	: Molsiv Adsorbents 13X 1/8	
Number	: 8938402	
Product Use Description	: Adsorbents	
Manufacturer or supplier's	: UOP LLC	
details	25 E. Algonquin Road Des Plaines, IL 60017-5017	
	USA	
Telephone	: +1-847-391-2000	
Telefax	: +1-847-391-2253	
In case of emergency call	: Medical: 1-800-498-5701 or +1-303-3 : Transportation (CHEMTREC): 1-800 527-3887	
	: (24 hours/day, 7 days/week)	
CTION 2. HAZARDS IDENTIF		
Emergency Overview		
Emergency Overview Form	: Beads or pellets	
	: Beads or pellets : white to tan	
Form	·	
Form Color	: white to tan	
Form Color	: white to tan : none	
Form Color Odor	: white to tan : none	tion
Form Color Odor Classification of the substa Classification of the substance or mixture	: white to tan : none	tion



9384UZ				
ersion 2.0		Revision Date 05/2	2/2015	Print Date 09/28/20
Symbol(s)		:		
Signal word		: Danger		
Hazard statement	s	: May cause cancer b	by inhalation.	
Precautionary sta	tements	 Prevention: Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Response: IF exposed or concerned: Get medical advice/ attention. 		
		Storage:	meu. Germeuicai	
		Disposal: Dispose of contents plant.	/ container to an a	pproved waste disposal
Hazards not other classified	wise	: The product gets ho	ot as it first adsorbs	water.
Carcinogenicity				
	Quartz (SiO2) Known carcinog	gen	14808-60-7	7
	Quartz (SiO2) 14808-60-7 Group 1: Carcinogenic to humans			7
	Quartz (SiO2) A2: Suspected	human carcinogen	14808-60-7	7
		Page 2 / 13		

SAFETY DATA SHEET A Honeywell Company Molsiv Adsorbents 13X 1/8 8938402 Version 2.0 Revision Date 05/22/2015 Print Date 09/28/2015 SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS Chemical nature : Mixture Chemical Name CAS-No. Concentration Zeolite, cuboidal, crystalline, synthetic, non-fibrous 1318-02-1 >70.00 % Mineral binder <30.00 % Quartz (SiO2) 14808-60-7 <5.00 % Note : Composition as shown represents the chemical composition of the product and is not representing the composition for inventory purposes. See Section 15 for inventory information. **SECTION 4. FIRST AID MEASURES** Inhalation Remove to fresh air. If symptoms persist, call a physician. : Wash off with soap and plenty of water. If skin irritation Skin contact : persists, call a physician. Eye contact : Rinse immediately with plenty of water for at least 15 minutes. If eye irritation persists, consult a physician. Drink at least 2 glasses of water. Obtain medical attention. Ingestion : Never give anything by mouth to an unconscious person. Notes to physician Treatment This product is a desiccant and generates heat as it adsorbs : water. The used product can contain material of a hazardous nature. Identify that material and treat symptomatically. Page 3 / 13



Molsiv Adsorbents 13X 1/8 8938402

Version 2.0 Revision Date 05/22/2015 Print Date 09/28/2015 SECTION 5. FIREFIGHTING MEASURES Suitable extinguishing media : Not combustible. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Specific hazards during : The product itself does not burn. firefighting The used product can retain material of a hazardous nature. Identify that material and inform the fire fighters. Special protective equipment : In the case of respirable dust and/or fumes, use self-contained for firefighters breathing apparatus and dust impervious protective suit. SECTION 6. ACCIDENTAL RELEASE MEASURES Personal precautions : For personal protection see section 8. Environmental precautions : No special environmental precautions required. Methods for cleaning up Sweep, shovel or vacuum spilled product into appropriate containers (do not use a vacuum if material has contacted a hydrocarbon material). Pick up and arrange disposal without creating dust. Never return spills in original containers for re-use. Spilled product should be disposed of in accordance with all applicable government regulations. SECTION 7. HANDLING AND STORAGE Handling : Handle and open container with care. Handling Avoid dust formation. Avoid contact with skin and eyes. Provide an electrical ground connection during loading and transfer operations to avoid static discharge in an explosive atmosphere and to prevent persons handling the product from receiving static shocks. A copy of UOP's booklet, "Precautions & Safe Practices for

Page 4 / 13



Molsiv Adsorbents 13X 1/8 8938402

JU702						
rsion 2.0		Re	evision Date	05/22/2015		Print Date 09/28/2
			s", can be ol	Molecular Sieve , stained from your		nts in Process presentative at no
Storage						
Requirements for storage areas and containers	ge :		e in original o in a dry pla			
CTION 8. EXPOSURE C	ONTROL	S/PEF	RSONAL P	ROTECTION		
Protective measures	:	Hanc pract		lance with good ir	ndustrial	hygiene and safety
Engineering measures	:	Ensu	ire adequate	ventilation, espe	cially in	confined areas.
Eye protection	:		ty glasses ty goggles			
Hand protection	:	Prote	ective gloves	i		
Skin and body protectio	n :	: Work uniform and gloves to prevent prolonged contact.				
Respiratory protection	:	equip Brea	oment. thing appara	cient ventilation, v atus with filter: NIC s are present P-10	DSH clas	ssification N-100 or if
Exposure Guidelines						
Components CA	S-No.		Value	Control parameters	Upda te	Basis

Components	0.00-110.	value	parameters	te	Da313
Zeolite, cuboidal, crystalline, synthetic, non- fibrous	1318-02-1	TWA : Time weighted average	1 mg/m3	2008	ACGIH:US. ACGIH Threshold Limit Values
Further : information	Form of exposure	: Respirable	fraction.	•	
Quartz (SiO2)	14808-60-7	TWA : Time weighted average	0.025 mg/m3	2008	ACGIH:US. ACGIH Threshold Limit Values

Page 5 / 13



Molsiv Adsorbents 13X 1/8 8938402

Version 2.0 Revision Date 05/22/2015 Print Date 09/28/2015 Further Form of exposure : Respirable fraction. information Quartz (SiO2) 14808-60-7 REL : 0.05 mg/m3 2005 NIOSH/GUIDE:US. Recomm NIOSH: Pocket ended Guide to Chemical exposure Hazards limit (REL): Further Form of exposure : Respirable dust. : information Quartz (SiO2) 14808-60-7 TWA : 0.1 mg/m3 Z1A:US. OSHA 1989 Time Table Z-1-A (29 weighted CFR 1910.1000) average Further Form of exposure : Respirable dust. : information Quartz (SiO2) 14808-60-7 TWA : 2.4 millions of 2000 Z3:US. OSHA Table Z-3 (29 CFR Time particles per 1910.1000) weighted cubic foot of air average The exposure limit is calculated from the equation, 250/(%SiO2+5) , using a value of 100% SiO2. Lower percentages of SiO2 will yield higher exposure limits. Further Form of exposure : Respirable. : information Page 6 / 13



Molsiv Adsorbents 13X 1/8 8938402

Version 2.0

Revision Date 05/22/2015

Print Date 09/28/2015

	Quartz (SiO2)	14808-60-7	TWA : Time weighted average	0.1 mg/m3 The exposure limit is calculated from the equation, 10/(%SiO2+2), using a value of 100% SiO2. Lower percentages of SiO2 will yield higher exposure limits.	2000	Z3:US. OSHA Table Z-3 (29 CFR 1910.1000)
	Further : information	Form of exposure	: Respirable).		
	Quartz (SiO2)	14808-60-7	TWA : Time weighted average	0.3 mg/m3 The exposure limit is calculated from the equation, 30/(%SiO2+2), using a value of 100% SiO2. Lower values of % SiO2 will give higher exposure limits.	2000	Z3:US. OSHA Table Z-3 (29 CFR 1910.1000)
	Further : information	Form of exposure	: Total dust.			
0.50	TION 9. PHYSICAL			F0		
	Physical state		ds or pellets			
	Color : white to tan					
(Odor : none					
l k	рΗ	: Note	e: Not applie	cable		
			Page 7	/ 13		



sion 2.0	Revision Date 05/22/2015	Print Date 09/28/
Melting point/range	: > 400 °C	
Boiling point/boiling range	: Note: Not applicable	
Flash point	: Note: Not applicable	
Density	: > 2.0 g/cm3	
Specific gravity	: >1.0	
Water solubility	: Note: insoluble	
Solubility in other solvents	: Note: insoluble	
Bulk density	: Note: For further information, refer to data sheet.	o the product technical
TION 10. STABILITY AND F	REACTIVITY	
Chemical stability	: Stable	
Incompatible materials to avoid	: Sudden contact with high concentrat high heats of adsorption such as ole When first wetted, the product can he of water. Flood with water to cool ma	fins, HCl, etc. eat up to the boiling point
Hazardous decomposition products	: No decomposition if used as directed Hydrocarbons and other materials th during normal use can be retained of It is reasonable to expect that decom	at contact the product n the product.
	Page 8 / 13	

SAFETY DATA SHEET		UOP
lalais Adaarbanta 42V	4 10	A Honeywell Company
Iolsiv Adsorbents 13X	1/8	
938402		
ersion 2.0	Revision Date 05/22/2015	Print Date 09/28/201
	come from these retained materials	of use.
ECTION 11. TOXICOLOGICAL IN	FORMATION	
Acute oral toxicity	: LD50 Oral: > 32,000 mg/kg Species: Rat	
Acute inhalation toxicity	: Note: no data available	
Acute dermal toxicity	: LD50 Dermal: >2,000 mg/kg Species: Rabbit	
Skin irritation	: Species: Rabbit Classification: Not classified as a sk	in irritant in animal testing.
Eye irritation	: Species: Rabbit Result: mild transient effects	
Further information	: Note: The toxicological data has be similar composition.	en taken from products of
ECTION 12. ECOLOGICAL INFO	RMATION	
Ecotoxicity effects		
Toxicity to fish	: Note: no data available	
Toxicity to daphnia and other aquatic invertebrates	: Note: no data available	
Toxicity to algae	: Note: no data available	
	Page 9 / 13	



	_		
Version 2.0		Revision Date 05/22/2015	Print Date 09/28/2015
Elimina	ation information (pers	sistence and degradability)	
Bioacc	umulation	: Note: no data available	
Mobility	y	: Note: no data available	
Biodeg	radability	: Note: no data available	
Furthe	r information on ecolo	рду	
Additio informa	nal ecological ttion	: No information on ecology is availa	able.
SECTION 1	3. DISPOSAL CONSID	ERATIONS	
Dispos	al methods	 This product (in its fresh unused st name or trademark name in the U. and does not possess any of the for characteristics of hazardous waster reactivity or toxicity). Materials of a hazardous nature the during normal use may be retained of the product must identify the haz retained material in order to asses options. 	S. EPA's RCRA regulations bur identifying (ignitability, corrosivity, at contact the product d on this product. The user zards associated with the
SECTION 1	4. TRANSPORT INFOR	RMATION	
DOT	Not dangerous goo	ods	
TDG	Not dangerous goo	ods	
ΙΑΤΑ	Not dangerous goo	ods	
IMDG	Not dangerous goo	ods	
		Page 10 / 13	
1			



Molsiv Adsorbents 13X 1/8 8938402

Version 2.0

Revision Date 05/22/2015

Print Date 09/28/2015

SECTION 15. REGULATORY INFORMATION

Inventories

US. Toxic Substances Control Act	: On the inventory, or in compliance with the inventory			
Australia. Industrial Chemical (Notification and Assessment) Act	: On the inventory, or in compliance with the inventory			
Canada. Canadian Environmental Protection Act (CEPA). Domestic Substances List (DSL)	: All components of this product are on the Canadian DSL.			
Japan. Kashin-Hou Law List	: On the inventory, or in compliance with the inventory			
Korea. Toxic Chemical Control Law (TCCL) List	: On the inventory, or in compliance with the inventory			
Philippines. The Toxic Substances and Hazardous and Nuclear Waste Control Act	: On the inventory, or in compliance with the inventory			
China. Inventory of Existing Chemical Substances	: On the inventory, or in compliance with the inventory			
New Zealand. Inventory of Chemicals (NZloC), as published by ERMA New Zealand	: On the inventory, or in compliance with the inventory			
Note	: Zeolites are considered Statutory Mixtures for Inventory purposes, for more information, contact SafetyDataSheet@honeywell.com.			
National regulatory information				
SARA 302 Components	: No chemicals in this material are subject to the reporting			
	Page 11 / 13			



69364UZ						
Version 2.0	Revision	Date 05/22/2015	Print Date 09/28/2015			
	requirement : Quartz (SiC	ts of SARA Title III, Sectio D2)	on 302. 14808-60-7			
SARA 313 Components	known CAS reporting le	This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313. Quartz (SiO2) 14808-60-7				
SARA 311/312 Hazards	: Chronic He	alth Hazard				
California Prop. 65	State of Ca	WARNING! This product contains a chemical known to the State of California to cause cancer. Quartz (SiO2) 14808-60-7				
Massachusetts RTK New Jersey RTK	: Quartz (SiC : Quartz (SiC	,	14808-60-7 14808-60-7			
-						
Pennsylvania RTK	: Quartz (SiC	Quartz (SiO2) 14808-60-7				
WHMIS Classification	: D2A: Very Toxic Material Causing Other Toxic Effects This product has been classified according to the hazard criteria of the CPR and the MSDS contains all of the information required by the CPR.					
SECTION 16. OTHER INFORMA	TION					
Health hazard Flammability Physical Hazard Instability	HMIS III : 1* : 0 : 1	NFPA 1 0 1				
* - Chronic health hazard	* - Chronic health hazard					
Hazard rating and rating sys use of individuals trained in			ation is intended solely for the			
	Pa	age 12 / 13				



Molsiv Adsorbents 13X 1/8 8938402

Version 2.0

Revision Date 05/22/2015

Print Date 09/28/2015

Further information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Final determination of suitability of any material is the sole responsibility of the user. This information should not constitute a guarantee for any specific product properties.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.

Previous Issue Date: 02/07/2015

Prepared by Honeywell Performance Materials and Technologies Product Stewardship Group